




CEE 4333 – Fall 2005

Planning and Organizing a CEE Drawing: What goes into a drawing sets for a CEE Project?



Components of a CEE Drawing Set



- Group exercise: Consider drawings of a structure.
 - What kind of structure is it?
 - What different systems will be constructed as part of this project: foundations, telecommunications, structures, mechanical, electrical, etc.
 - What drawings do you have? What drawings are missing?
 - How are the drawings organized? How do you know what page to look on for information about a particular component?


National CAD Standards for Creating Drawing Sets

- CAD Layer Guidelines (AIA):
 - Organization of drawing sets & list of layers that may be included
 - Format for naming layers in CAD
- Plotting Guidelines (US CADD/GIS Tech. Center)
 - Color in AutoCAD file, plotted line width & plotted color
- The Construction Specification Institute
 - Drawing set organization
 - Drawing sheet organization
 - Schedule organization
 - Drafting conventions
 - Terms and Abbreviations
 - Symbols
 - Notations



<http://www.nationalcadstandard.org>

Drawing Set Hierarchy



- O - OPERATIONS
- Z - CONTRACTOR/SHOP DRAWINGS
- X - OTHER DISCIPLINES
- R - RESOURCE
- T - TELECOMMUNICATIONS
- E - ELECTRICAL
- M - MECHANICAL
- D - PROCESS
- P - PLUMBING
- F - FIRE PROTECTION
- Q - EQUIPMENT
- I - INTERIORS
- A - ARCHITECTURAL
- S - STRUCTURAL
- L - LANDSCAPE
- W - CIVIL WORKS
- C - CIVIL
- B - GEOTECHNICAL
- V - SURVEY/MAPPING
- H - HAZARDOUS MATERIALS
- G - GENERAL

Standard Sheet Identification

Standard Sheet Identification

- discipline designator
- sheet type designator
- sheet sequence number
- user-defined designator



A = alphabetical character
N = numerical character
U = user-defined

A A N N N U U U
Discipline Designators

A A N N N U U U
Sheet Type Designator

A A N N N U U U
Sheet Sequence Number

A A N N N U U U
User-Defined Designator



Sheet Org.: Discipline Designator

A - N N N
Level 1 Discipline Designator Only

G General	F Fire Protection
H Hazardous Materials	P Plumbing
V Survey/Mapping	D Process
B Geotechnical	M Mechanical
W Civil Works	E Electrical
C Civil	T Telecommunications
L Landscape	R Resources
S Structural	X Other Disciplines
A Architectural	Z Contractor / Shop Drawings
I Interior	O Operations
Q Equipment	

A A N N N
Level 2 Discipline Designator w/modifier character



Designator	Description	Content
A	Architectural	Any or all
S	Architectural Site	Site Plan
D	Architectural Demolition	Protection & Removal
I	Architectural Interiors	Interior Finishes

Sheet Org.: Sheet Type Designator

A A N N N

- 0 General (symbols legend, notes, etc.)
- 1 Plans (horizontal views)
- 2 Elevations (vertical views)
- 3 Sections (sectional views)
- 4 Large Scale Views (plans, elevations, sections)
- 5 Details
- 6 Schedules and Diagrams
- 7 User Defined
- 8 User Defined
- 9 3D Representations (isometrics, perspectives, photographs)






Sheet Org.: Sheet Sequence Number

A A N N N

The sheet sequence number identifies each sheet in a series of the same discipline and sheet type.

The first sheet of each series is numbered 01, followed by 02 through 99.






Sheet Org.: User-Defined Designators

A A N N N U U U



Examples - Supplemental Drawings

- A - 1 0 2 R 1 (partially revised floor plan)**
- A - 1 0 2 X 1 (totally revised floor plan)**
- A - 1 0 2 A 1 (Phase 1 of a sequenced construction floor plan)**

Sample Typical Drawing Set

<p>Sheet Sheet Title</p> <ul style="list-style-type: none"> G-001 Cover Sheet A-001 Notes and Symbols A-101 Floor Plan A-102 Reflected Ceiling Plan A-103 Roof Plan A-201 Exterior Elevations A-301 Building Sections A-302 Wall Sections A-401 Enlarged Toilet Plan A-501 Details A-601 Room Finish Schedule A-602 Door & Window Schedules 	<p>Drawing Set Consistency</p> <p>UDS establishes organization and provides consistency among disciplines. Thus, a floor plan may be located and identified as:</p> <ul style="list-style-type: none"> S - 101 Structural First Floor Plan A - 101 Architectural First Floor Plan M - 101 Mechanical First Floor Plan E - 101 Electrical First Floor Plan
--	--

AIA CAD Layer Guidelines

A I - W A L L - F U L L - D I M S - N



Discipline Designator

Major Group

Minor Group 1

Minor Group 2

Status



CAD Layer Name: Discipline Designator

A I - W A L L - F U L L - D I M S - N

As for Drawing Numbering

AA - Level 1 Discipline Designator	
G General	F Fire Protection
H Hazardous Materials	P Plumbing
V Survey/Mapping	D Process
B Geotechnical	M Mechanical
W Civil Works	E Electrical
C Civil	T Telecommunications
L Landscape	R Resources
S Structural	X Other Disciplines
A Architectural	Z Contractor / Shop Drawings
I Interior	O Operations
Q Equipment	

AA - Level 2 - modifier character	
Designator	Description
A	Architectural
AS	Architectural Site
AD	Architectural Demo.
AI	Architectural Interiors
	Any or all
	Site Plan
	Protection & Removal
	Interior Finishes

CAD Layer Name: Major Group

A I - W A L L - F U L L - D I M S

The **mandatory** Major Group field is a four-character field that identifies a major building system. The prescribed Major Group field codes (four-character abbreviations) show on the Layer List are logically grouped with specific discipline designators. However, any Major Group may be combined with any prescribed Discipline Designator, provided that the definition of the Major Group remains unchanged. User-defined Major Group field codes are **not** permitted.

Examples:

V* - BLDG - **	Surveying / mapping – buildings and primary structures
V* - POWR - **	Surveying / mapping – power
B* - BORE - **	Geotechnical - borings
C* - DRIV - **	Civil – driveways
S* - BEAM - **	Structural – beams
S* - FNDN - **	Structural – foundations
A* - DOOR - **	Architectural – doors
A* - INTL - **	Architectural Interior – walls

CAD Layer Name: Minor Groups

A I - W A L L - F U L L - D I M S

The **optional** Minor Group fields are four-character fields that provide further clarification of information contained on a layer. The prescribed Minor Group field codes (four-character abbreviations) show on the Layer List are logically grouped with specific discipline designators. However, any Major Group may be combined with any prescribed Discipline Designator, provided that the definition of the Major Group remains unchanged. User-defined Minor Group field codes are permitted.

Examples:

V* - BLDG - DECK	Surveying / mapping – buildings - outdoor decks
V* - POWR - MHOL	Surveying / mapping – power - manholes
B* - BORE - FDTA	Geotechnical – borings – field data
C* - DRIV - FLNE - SIGN	Civil – driveways – fire lane – pavement markings
S* - BEAM - STEL	Structural – beams - steel
S* - FNDN - PIER	Structural – foundations – drilled piers
A* - DOOR - FULL	Architectural – doors – full height
A* - INTL - FIRE	Architectural Interior – walls – fire wall

CAD Layer Name: Status

A I - W A L L - F U L L - D I M S

The **optional** Status field is a one-character field that distinguishes the data contained on the layer according to the status of the work or the construction phase. The prescribed field codes are as follows:

N	New work
E	Existing to remain
D	Existing to demolish
F	Future work
T	Temporary work
M	Items to be moved
X	Not in contract
1-9	Phase numbers

Organizing Drawing Information

- Structure for identifying spaces, objects, components
- Reference Symbols
- Notes
 - General
 - Reference Keynotes
 - Sheet Keynotes

Identifying Spaces, Objects Components

Identifying Spaces and Objects

Each door is to have a unique identifier; if a room has one door, the door number is the same as the secure side room number.

In rooms with multiple doors, the door number is followed by an alpha character.

Column Grid Lines

1	2	3	4	5
---	---	---	---	---

D	Vertical grid lines are located across the top and are numbered from left to right.
C	
B	Horiz. grid lines are located to the right and are alphabetized from bottom to top.
A	

CSI Copyright 1997

Multiple Views – The CEE Perspective

TYPICAL FLOOR FRAMING PLAN

SECOND FLOOR FRAMING PLAN

Multiple Views – The CEE Perspective

NORTH PERIMETER FRAME ELEVATION

SOUTH PERIMETER FRAME ELEVATION

EAST PERIMETER FRAME ELEVATION

WEST PERIMETER FRAME ELEVATION

Reference Symbols

refer reader to another part of the document

Examples:

- Graphic Scales
- Sheet Keynote
- Room Identifier
- Detail Indicator
- Column Grid Indicator

SYMBOL	DESCRIPTION
[Symbol]	SHEET NOTE, See legend on Sheet
[Symbol]	DOOR, See Elevation on Sheet # 1.0 See Elevation on Sheet # 1.4
[Symbol]	WINDOW, See Elevation on Sheet # 1.0 See Elevation on Sheet # 1.4
[Symbol]	EQUIPMENT (EQUIP) See area # 1.0 See Elevation on Sheet # 1.0
[Symbol]	FLOORING OR WALL TYPE, See Sheet # 1.4
[Symbol]	DETAIL SYMBOL
[Symbol]	BUILDING SECTION, See Sheet # 1.0, 1.4
[Symbol]	WALL SECTION, See Sheet # 1.0, 1.4
[Symbol]	ROOF ELEVATION, See Sheet # 1.7
[Symbol]	WORK ELEVATION, See Sheet # 1.7

CSI Copyright 1997

Reference Symbols: Examples from Skilling Ward Magnusson Barkshire Inc.

- Detail Plan: Number Identification Sheet Number
- View Plan Indicator: Letter denotes Building Section or Elevation
- Revision Indicator: Cloud area of Revision
- Remark Indicator: G - General Notes, D - Demolition Notes, R - Remodel Notes, S - Site Notes
- New Building Grid
- Existing Building Grid
- Building Section: Letter Identification Sheet Number
- Building Elevation: Letter Identification Sheet Number
- Detail: Letter Identification Sheet Number

Multiple Views – The CEE Perspective

TYPICAL FLOOR FRAMING PLAN

SECOND FLOOR FRAMING PLAN

Section Views – The CEE Perspective

SECTION OF BRICK WALL

TYPICAL TRANSVERSE SPANDELS





TYPICAL LONGITUDINAL SPANDELS

Drawing Roads

HIGH EMBANKMENT WITH 'SO' GUTTER AND GUARD FENCE NARROW MEDIAN AND NORMAL CROSSFALL SECTION B

Embankment slopes to be specified and indicated in accordance with drawings and specifications

Limit of drawing will be the face of embankment. Greater areas of clearing might be required for construction requirements. 10' from edge line for 1:1 slope. Determination and erosion control.



Reference Keynotes: Masterformat for specifications (CSI)

Division	Specification	Division	Specification
1	General Req.	9	Finishes
2	Sitework	10	Specialties
3	Concrete	11	Equipment
4	Masonry	12	Furnishings
5	Metals	13	Special Construction
6	Wood and Plastics	14	Conveying Systems
7	Thermal and Moisture Protection	15	Mechanical
8	Doors and Windows	16	Electrical

Root - use same specification number that references number


Decimal Point - Separates the Root from the suffix

Suffix Modifier - optional, user defined, 2 digit number


Suffix - User defined, single alpha character

09250.A01

CSI Copyright 1997



Sheet Keynotes



Sheet Keynotes
in Drawing Block

Sheet Keynotes
in Note Block

CSI Copyright 1997

