# Bibliography on tms-nets

Jürgen Bierbrauer
Department of Mathematical Sciences
Michigan Technological University
Houghton, Michigan 49931 (USA)

April 25, 2005

## 1 1967

1. I.M. Sobol: *Distribution of points in a cube and the approximate evaluation of integrals* (in Russian), *Zh. Vychisl.Mat. i Mat. Fiz* **7** (1967), 784-802.
   English Translation in *USSR Comput. Math. Math. Phys* **7** (1967), 86-112.

## 2 1987

1. H. Niederreiter, *Point sets and sequences with small discrepancy, Monatshefte Mathematik* **104** (1987),273-337.

## 3 1992

1. H. Niederreiter, *Random Number Generation and Quasi-Monte Carlo Methods,* Number **63** in CBMS–NSF Series in Applied Mathematics. SIAM, Philadelphia, 1992.

# 4 1994

1. G.Larcher, W.Ch.Schmid and R.Wolf: *Representation of functions as Walsh series to different bases and an application to the numerical integration of high-dimensional Walsh series, Math. Comp.* **63** (1994), 701-716.

# 5 1995

1. M. Lawrence, *Combinatorial Bounds and Constructions in the Theory of Uniform Point Distributions in Unit Cubes, Connections with Orthogonal Arrays and a Poset Generalization of a Related Problem in Coding Theory*. PhD thesis, University of Wisconsin, 1995.

2. G. Larcher and W. Ch. Schmid, *On the numerical integration of high-dimensional Walsh series by quasi-Monte Carlo methods,* in J.Lacroix and R.Riganti, eds, *Colloque Probabilités Numériques* (Paris 1993), volume 38 of *Math.Comput.Simulation*, 127-134, North-Holland, 1995.

3. G. Larcher and W. Ch. Schmid, *Multivariate Walsh series, digital nets and quasi-Monte Carlo integration,* in H. Niederreiter and P. J.-S. Shiue, editors, *Monte Carlo and Quasi-Monte Carlo Methods in Scientific Computing (Las Vegas, 1994)*, volume 106 of *Lecture Notes in Statistics*, pages 252-262. Springer, New York, 1995.

4. G. Larcher, W. Ch. Schmid, and R. Wolf, *Digital* $(t, m, s)$*-nets, digital* $(T, s)$*-sequences, and numerical integration of multivariate Walsh series,* in P. Hellekalek, G. Larcher, and P. Zinterhof, editors, *Proceedings of the 1st Salzburg Minisymposium on Pseudorandom Number Generation and Quasi-Monte Carlo Methods, Salzburg, Nov. 18, 1994*, volume 95–4 of *Technical Report Series*, pages 75–107. ACPC – Austrian Center for Parallel Computation, 1995.

5. H. Niederreiter and C. P. Xing, *Low-discrepancy sequences obtained from algebraic function fields over finite fields, Acta Arithmetica* **72** (1995),281-298.

6. C. P. Xing and H. Niederreiter, *A construction of low-discrepancy sequences using global function fields,* Acta Arithmetica **73** (1995),87-102.

# 6 1996

1. G. Larcher, W. Ch. Schmid and R.Wolf, *Quasi-Monte Carlo methods for the numerical integration of multivariate Walsh series, Math. Comput. Modelling* **23** (1996),55-67.

2. G. Larcher, H. Niederreiter, and W. Ch. Schmid. *Digital nets and sequences constructed over finite rings and their application to quasi-Monte Carlo integration,* Monatshefte Mathematik **121** (1996),231-253.

3. G. Larcher, A. Lauß, H. Niederreiter, and W. Ch. Schmid. *Optimal polynomials for $(t, m, s)$-nets and numerical integration of multivariate Walsh series, SIAM Journal on Numerical Analysis* **33** (1996),2239-2253.

4. K.M.Lawrence, *A combinatorial characterization of $(t, m, s)$-nets in base b, J. Comb. Designs* **4** (1996),275-293.

5. M. Lawrence, A. Mahalanabis, G. L. Mullen, and W. Ch. Schmid, *Construction of digital $(t, m, s)$-nets from linear codes,* in S. Cohen and H. Niederreiter, editors, *Finite Fields and Applications (Glasgow, 1995)*, volume 233 of *Lecture Notes Series of the London Mathematical Society*, pages 189-208. Cambridge University Press, Cambridge, 1996.

6. G.L.Mullen and W.Ch.Schmid, *An equivalence between $(t, m, s)$-nets and strongly orthogonal hypercubes,* Journal of Combinatorial Theory A **76** (1996), 164-174.

7. H. Niederreiter and C. P. Xing, *Low-discrepancy sequences and global function fields with many rational places,* Finite Fields and Their Applications **2** (1996),241-273.

8. H. Niederreiter and C. P. Xing, *Quasirandom points and global function fields,* in S. Cohen and H. Niederreiter, editors, *Finite Fields and Applications (Glasgow, 1995)*, volume 233 of *Lecture Notes Series of the*

*London Mathematical Society*, pages 269–296. Cambridge University Press, Cambridge, 1996.

9. H. Niederreiter and C. P. Xing, *Explicit global function fields over the binary field with many rational places,* Acta Arithmetica **74** (1996),383-396.

10. G. Rote and R. F. Tichy, *Quasi-Monte-Carlo methods and the dispersion of point sequences,* Mathematical and Computer Modelling **23** (1996), 9-23.

# 7 1997

1. W. Ch. Schmid and R. Wolf, *Bounds for digital nets and sequences,* *Acta Arithmetica* **78** (1997),377-399.

2. M.J.Adams and B.L.Shader, *A construction for* $(t, m, s)$*-nets in base q, SIAM Journal of Discrete Mathematics* **10** (1997),460-468.

3. W. Ch. Schmid, *Shift-nets: a new class of binary digital* $(t, m, s)$*-nets,* *Monte Carlo and Quasi-Monte Carlo Methods 1996,* *Lecture Notes in Statistics* **127** (1997),369-381.

4. Y.Edel and J.Bierbrauer, *Construction of digital nets from BCH-codes,* *Monte Carlo and Quasi-Monte Carlo Methods 1996,* *Lecture Notes in Statistics* **127** (1997),221-231.

5. H.Niederreiter and C.Xing, *The algebraic-geometric approach to low-discrepancy sequences,* *Monte Carlo and Quasi-Monte Carlo Methods 1996,* *Lecture Notes in Statistics* **127** (1997),139-160.

6. G.Larcher,G.Pirsic and R.Wolf, *Quasi-Monte Carlo integration of digitally smooth functions by digital nets,* *Monte Carlo and Quasi-Monte Carlo Methods 1996,* *Lecture Notes in Statistics* **127** (1997),321-329.

7. W.J.Morokoff and R.E.Caflisch, *Quasi-Monte Carlo simulation of Random walks in finance,*

*Monte Carlo and Quasi-Monte Carlo Methods 1996, Lecture Notes in Statistics* **127** (1997),340-352.

8. A.T.Clayman, K.M.Lawrence, G.L.Mullen,H.Niederreiter, and N.J.A.Sloane, *Updated tables of parameters of $(t, m, s)$-nets, Journal of Combinatorial Designs* **7**(1997),381-393.

9. P.P.Boyle,M.Broadie and P.Glasserman: *Monte Carlo methods for security pricing,* Journal of Economic Dynamics and Control **21**(1997),1267-1321.

10. M.Yu. Rosenbloom and M.A.Tsfasman: *Codes for the m-metric, Problems of Information Transmission* **33**(1997),45-52, translated from *Problemy Peredachi Informatsii* **33**(1996),55-63.

# 8 1998

1. H.Niederreiter and C.Xing: *Nets, $(t, s)-$sequences, and algebraic geometry,* Random and quasi-random point sets *(P. Hellekaled and G.Larcher, eds), Lecture Notes in Statistics* **138**(1998),267-302.

2. G.Larcher: *Digital point sets, analysis and application,* Random and quasi-random point sets *(P. Hellekaled and G.Larcher, eds), Lecture Notes in Statistics* **138**(1998),167-222.

3. Shu Tezuka: *Financial applications of Monte Carlo and quasi-Monte Carlo methods,* Random and quasi-random point sets *(P. Hellekaled and G.Larcher, eds), Lecture Notes in Statistics* **138**(1998),303-332.

# 9 1999

1. M.J. Adams: *Generalized orthogonal arrays: constructions and related graphs,* Journal of Combinatorial Designs **7** (1999),31-39.

2. W.J.Martin and D.R.Stinson: *A generalized Rao bound for ordered orthogonal arrays and (t,m,s)-nets,* Canadian Mathematical Bulletin **42**(1999),359-370.

3. W.J.Martin and D.R.Stinson: *Association schemes for ordered orthogonal arrays and (t,m,s)-nets,* Canadian Journal of Mathematics **51**(1999),326-346.

4. C.J.Colbourn, J.H.Dinitz und D.R.Stinson: **Applications of combinatorial designs to communications, cryptography and networking,** *Surveys in Combinatorics, 1999, London Mathematical Society Lecture Note Series 267, Cambridge University Press* (1999), 37-100.

5. W.Ch.Schmid and A.Uhl: *Parallel quasi-Monte Carlo integration using $(t, s)-$sequences,* in P.Zinterhof et.al, eds, *Parallel Computation,* volume 1557 of *Lecture Notes in Computer Science,* 96-106, Springer 1999.

6. W.Ch.Schmid: *The exact quality parameter of nets derived from Sobol' and Niederreiter sequences,* in O.Illiev et. al, eds, *Recent Advances in Numerical Methods and Applications,* 287-295. World Scientific Publ., 1999.

7. W.Ch.Schmid: *Improvements and extensions of the "Salzburg Tables" by using irreducible polynomials,* in H.Niederreiter and J.Spanier, eds, *Monte Carlo and Quasi-Monte Carlo methods 1998,* 438-449, Springer 1999.

8. A.T.Clayman,K.M.Lawrence,G.L.Mullen,H.Niederreiter,N.J.A,Sloane: *Updated tables of parameters of $(T, M, S)$-nets, Journal of Combinatorial Designs* **7** (1999),381-393.


# 10 2000


1. G.Larcher, W.Ch.Schmid and R.Wolf: *On the approximation of certain mass distributions appearing in distance geometry, Acta. Math. Hungarica* **88** (2000), to appear.

2. H.Niederreiter: *Constructions of $(t, m, s)$-nets, Monte Carlo and quasi-Monte Carlo methods 1998, Proceedings of a Conference held at Claremont,CA,1998, Springer 2000,* 70-85.

3. W.J.Martin: *Linear Programming bounds for ordered orthogonal arrays and $(t, m, s)$-nets, Monte Carlo and quasi-Monte Carlo methods 1998, Proceedings of a Conference held at Claremont,CA,1998, Springer 2000,* 368-376.

4. W.Ch.Schmid: *Improvements and Extensions of the "Salzburg Tables" by using irreducible polynomials, Monte Carlo and quasi-Monte Carlo methods 1998, Proceedings of a Conference held at Claremont,CA,1998, Springer 2000,* 436-447..

# 11 2001

1. Y.Edel and J.Bierbrauer: *Families of ternary $(t, m, s)$-nets related to BCH-codes, Monatshefte für Mathematik* **132** 2001, 99-103. M.M.Skriganov: *Coding theory and uniform distributions,* to appear in *St. Petersburg Math. J.*, translated from *Algebra i Analiz* **13** (2001), 191–239.

# 12 2002

1. J.Bierbrauer, Y.Edel and W.Ch.Schmid: *Coding-Theoretic constructions for tms-nets and ordered orthogonal arrays, Journal of Combinatorial Designs* **10** (2002), 403-418.

2. H.Niederreiter and F.Özbudak: *Constructions of digital nets using global function fields, Acta Arithmetica* **105** (2002), 279-302.

3. F. Pillichshammer: *Bounds for the quality parameter of digital shift nets over $\mathbb{Z}_2$, Finite Fields and Their Applications* **8** (2002), 444-454.

4. R. Fuji-Hara and Ying Miao: *A note on geometric structures of linear ordered orthogonal arrays and $(t, m, s)-$nets of low strength, Designs, Codes and Cryptography* **26** (2002), 257-263.

# 13 2003

1. T.Helleseth, T. Kløve and V. Levenshtein: *Hypercubic* 4-*and* 5-*designs from double-error-correcting BCH codes,*

*Designs, Codes and Cryptography* **28** (2003), 265-282.

2. K.Lee: *The automorphism group of a linear space with the Rosenbloom-Tsfasman metric,*
   *European Journal of Combinatorics* **24** (2003), 607-612.

# 14 2004

1. H. Niederreiter and C. P. Xing: *Digital nets, duality and algebraic curves, Monte Carlo and Quasi-Monte Carlo methods 2002,* Springer Verlag, Berlin 2004, 155-166.

# 15 Manuscripts

1. M.M.Skriganov: *Uniform distributions, error-correcting codes and interpolations over finite fields,* preprint 1998.

2. S.T.Dougherty and M.M.Skriganov: *McWilliams-type theorems for a non-Hamming metric,* preprint.

3. W.W.L.Chen and M.M.Skriganov: *Explicit constructions in the classical mean squares problem in irregularities of point distributions,* manuscript.

4. H.Niederreiter: *Digital nets and coding theory,* manuscript.

5. G.Larcher and G.Leobacher: *Quasi-Monte Carlo and Monte Carlo methods and their application in finance,* manuscript.